

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	383	(@ad<"20030416" or @rlad<"20030416") and (MPLS or (label adj switch \$3)) and (control adj packet)	US-PGPUB; USPAT	OR	ON	2008/10/15 08:00
L2	30	(@ad<"20030416" or @rlad<"20030416") and (MPLS or (label adj switch \$3)) and ((control adj packet) with state)	US-PGPUB; USPAT	OR	ON	2008/10/15 08:01
L3	8	(@ad<"20030416" or @rlad<"20030416") and (MPLS or (label adj switch \$3)) and ((control adj packet) with load)	US-PGPUB; USPAT	OR	ON	2008/10/15 08:01
L4	73	(@ad<"20030416" or @rlad<"20030416") and (MPLS or (label adj switch \$3)) and ((packet) with load with (determin\$3))	US-PGPUB; USPAT	OR	ON	2008/10/15 08:04
L5	22	(@ad<"20030416" or @rlad<"20030416") and (MPLS or (label adj switch \$3)) and ((packet) with load with (determin\$3) with path)	US-PGPUB; USPAT	OR	ON	2008/10/15 08:04
L6	0	(@ad<"20030416" or @rlad<"20030416") and (MPLS or (label adj switch \$3)) and ((acknowledgement) with load with (determin\$3) with path)	US-PGPUB; USPAT	OR	ON	2008/10/15 08:06
L7	0	(@ad<"20030416" or @rlad<"20030416") and (MPLS or (label adj switch \$3)) and ((acknowledgment) with load with (determin\$3) with path)	US-PGPUB; USPAT	OR	ON	2008/10/15 08:06
L8	0	(@ad<"20030416" or @rlad<"20030416") and (MPLS or (label adj switch \$3)) and ((acknowledgment) with load with (determin\$3))	US-PGPUB; USPAT	OR	ON	2008/10/15 08:06

L9	10	(@ad< "20030416" or @rlad< "20030416") and (MPLS or (label adj switch \$3)) and (report\$3 with load with path)	US-PGPUB; USPAT	OR	ON	2008/10/15 08:07
L10	8	(@ad< "20030416" or @rlad< "20030416") and (MPLS or (label adj switched)) and (report\$3 with load with path)	US-PGPUB; USPAT	OR	ON	2008/10/15 08:08
L11	0	(@ad< "20030416" or @rlad< "20030416") and (MPLS or (label adj switched)) and (acknowledg \$5 with load with path)	US-PGPUB; USPAT	OR	ON	2008/10/15 08:12
L12	0	(@ad< "20030416" or @rlad< "20030416") and (MPLS or (label adj switched)) and ((acknowledg \$5 or ACK) with load with path)	US-PGPUB; USPAT	OR	ON	2008/10/15 08:12
L13	145	(@ad< "20030416" or @rlad< "20030416") and (MPLS or (label adj switched)) and (request\$3 with bandwidth with path)	US-PGPUB; USPAT	OR	ON	2008/10/15 08:13
L14	2	(@ad< "20030416" or @rlad< "20030416") and (MPLS or (label adj switched)) and (request\$3 with bandwidth with path with acknowledg\$5)	US-PGPUB; USPAT	OR	ON	2008/10/15 08:14
L15	1	(@ad< "20030416" or @rlad< "20030416") and (MPLS or (label adj switched)) and (bandwidth near2 path with acknowledg \$5)	US-PGPUB; USPAT	OR	ON	2008/10/15 08:23
L16	5	(@ad< "20030416" or @rlad< "20030416") and (MPLS or (label adj switched)) and (bandwidth near2 (path or route) with (acknowledg\$5 or ACK))	US-PGPUB; USPAT	OR	ON	2008/10/15 08:26
L17	63	(@ad< "20030416" or @rlad< "20030416") and (MPLS or (label adj switched)) and (bandwidth near2 (path or route) with (acknowledg\$5 or ACK or RESV or reservation))	US-PGPUB; USPAT	OR	ON	2008/10/15 08:27

L18	5	(@ad< "20030416" or @riad< "20030416") and (MPLS or (label adj switched)) and (bandwidth near2 (path or route) with (acknowledg\$5 or ACK))	US-PGPUB; USPAT	OR	ON	2008/10/15 08:27
L19	11	(@ad< "20030416" or @riad< "20030416") and (MPLS or (label adj switched)) and (request\$3 with bandwidth near2 (path or route) with (acknowledg \$5 or ACK or RESV or reservation))	US-PGPUB; USPAT	OR	ON	2008/10/15 08:31
L20	49	(@ad< "20030416" or @riad< "20030416") and (request\$3 with bandwidth near2 (path or route) with (acknowledg\$5 or ACK or RESV or reservation))	US-PGPUB; USPAT	OR	ON	2008/10/15 08:44
L21	0	(@ad< "20030416" or @riad< "20030416") and (request\$3 with bandwidth near2 (path or route) with (acknowledg\$5 or ACK or RESV or reservation)) not 20	US-PGPUB; USPAT	OR	ON	2008/10/15 08:45
L22	38	(@ad< "20030416" or @riad< "20030416") and (request\$3 with bandwidth near2 (path or route) with (acknowledg\$5 or ACK or RESV or reservation)) not 19	US-PGPUB; USPAT	OR	ON	2008/10/15 08:45
L23	17	(@ad< "20030416" or @riad< "20030416") and (determin\$3 with bandwidth near2 (path or route) with (acknowledg\$5 or ACK or RESV or reservation))	US-PGPUB; USPAT	OR	ON	2008/10/15 08:45
L24	0	(@ad< "20030416" or @riad< "20030416") and (determin\$3 with bandwidth near2 each near2 ("paths") with (acknowledg\$5 or ACK or RESV or reservation))	US-PGPUB; USPAT	OR	ON	2008/10/15 08:46
L25	0	(@ad< "20030416" or @riad< "20030416") and (determin\$3 with bandwidth near2 each near2 (paths) with (acknowledg\$5 or ACK or RESV or reservation))	US-PGPUB; USPAT	OR	ON	2008/10/15 08:46

L26	0	(@ad< "20030416" or @rlad< "20030416") and (request\$3 with bandwidth near2 each near2 (paths) with (acknowledg\$5 or ACK or RESV or reservation))	US-PGPUB; USPAT	OR	ON	2008/10/15 08:46
L27	0	(@ad< "20030416" or @rlad< "20030416") and (request\$3 with bandwidth near2 each near2 (paths))	US-PGPUB; USPAT	OR	ON	2008/10/15 08:46
L28	0	(@ad< "20030416" or @rlad< "20030416") and (request\$3 with bandwidth near2 each near2 (path))	US-PGPUB; USPAT	OR	ON	2008/10/15 08:46
L29	0	(@ad< "20030416" or @rlad< "20030416") and (request\$3 with bandwidth with each near2 (path))	US-PGPUB; USPAT	OR	ON	2008/10/15 08:46
L30	0	(@ad< "20030416" or @rlad< "20030416") and (each near2 (path))	US-PGPUB; USPAT	OR	ON	2008/10/15 08:47
L31	0	(@ad< "20030416" or @rlad< "20030416") and ("each" near2 (path))	US-PGPUB; USPAT	OR	ON	2008/10/15 08:47
L32	4265	(@ad< "20030416" or @rlad< "20030416") and ((each or every or all) near2 (path))	US-PGPUB; USPAT	OR	ON	2008/10/15 08:47
L33	306	(@ad< "20030416" or @rlad< "20030416") and ((each or every or all) near2 (path) with (request\$3 or determin\$3))	US-PGPUB; USPAT	OR	ON	2008/10/15 08:47
L34	13	(@ad< "20030416" or @rlad< "20030416") and ((each or every or all) near2 (path) with (request\$3 or determin\$3) with bandwidth)	US-PGPUB; USPAT	OR	ON	2008/10/15 08:47
L35	0	(@ad< "20030416" or @rlad< "20030416") and ((each or every or all) near2 (path) with (acknowledgement) with bandwidth)	US-PGPUB; USPAT	OR	ON	2008/10/15 08:56
L36	0	(@ad< "20030416" or @rlad< "20030416") and ((each or every or all) near2 (path) with (acknowledgment) with bandwidth)	US-PGPUB; USPAT	OR	ON	2008/10/15 08:57

L37	0	(@ad< "20030416" or @rlad< "20030416") and ((each or every or all) near2 (path) with (acknowledgment or ACK) with bandwidth)	US-PGPUB; USPAT	OR	ON	2008/10/15 08:57
L38	15	(@ad< "20030416" or @rlad< "20030416") and (ping with bandwidth with path)	US-PGPUB; USPAT	OR	ON	2008/10/15 08:58
L39	172	(@ad< "20030416" or @rlad< "20030416") and (test with bandwidth with path)	US-PGPUB; USPAT	OR	ON	2008/10/15 08:59
L40	68	(@ad< "20030416" or @rlad< "20030416") and (test with bandwidth near2 path)	US-PGPUB; USPAT	OR	ON	2008/10/15 08:59
L41	0	(@ad< "20030416" or @rlad< "20030416") and (test with bandwidth with (each or every or all) near2 path)	US-PGPUB; USPAT	OR	ON	2008/10/15 09:00
L42	30	(@ad< "20030416" or @rlad< "20030416") and ((acknowledgment or ACK) with bandwidth with path)	US-PGPUB; USPAT	OR	ON	2008/10/15 09:01
L43	21	(@ad< "20030416" or @rlad< "20030416") and (ping with bandwidth with link)	US-PGPUB; USPAT	OR	ON	2008/10/15 09:07
L44	414	(@ad< "20030416" or @rlad< "20030416") and (request\$3 with link with bandwidth with (data or information))	US-PGPUB; USPAT	OR	ON	2008/10/15 09:07
L45	48	(@ad< "20030416" or @rlad< "20030416") and (request\$3 with link with bandwidth with (data or information)) and MPLS	US-PGPUB; USPAT	OR	ON	2008/10/15 09:08
L46	23	(@ad< "20030416" or @rlad< "20030416") and (request\$3 with link near3 bandwidth with (data or information)) and MPLS	US-PGPUB; USPAT	OR	ON	2008/10/15 09:08
S1	1007	(@ad< "20030416" or @rlad< "20030416") and MPLS and latency	US-PGPUB; USPAT	OR	ON	2007/05/31 08:56

S2	0	(@ad< "20030416" or @riad< "20030416") and MPLS and latency and (reflector adj packet)	US-PGPUB; USPAT	OR	ON	2007/05/31 08:57
S3	0	(@ad< "20030416" or @riad< "20030416") and MPLS and latency with acknowledgement	US-PGPUB; USPAT	OR	ON	2007/05/31 08:57
S4	0	(@ad< "20030416" or @riad< "20030416") and MPLS and latency with acknowledgment	US-PGPUB; USPAT	OR	ON	2007/05/31 08:57
S5	197	(@ad< "20030416" or @riad< "20030416") and MPLS and (latency with (measur\$3 or determin\$3))	US-PGPUB; USPAT	OR	ON	2007/05/31 08:58
S6	72	(@ad< "20030416" or @riad< "20030416") and MPLS and (latency with (measur\$3 or determin\$3)) and ((select\$3 or choos\$3) with (path or route or LSP))	US-PGPUB; USPAT	OR	ON	2007/05/31 08:59
S7	8	(@ad< "20030416" or @riad< "20030416") and MPLS and (latency with (measur\$3 or determin\$3)) and ((select\$3 or choos\$3) with (path or route or LSP)) with latency	US-PGPUB; USPAT	OR	ON	2007/05/31 14:20
S8	48644	(@ad< "20030416" or @riad< "20030416") and latency	US-PGPUB; USPAT	OR	ON	2007/05/31 14:21
S9	39	(@ad< "20030416" or @riad< "20030416") and latency with mean with variance	US-PGPUB; USPAT	OR	ON	2007/10/29 14:19
S10	2	(@ad< "20030416" or @riad< "20030416") and latency with mean with variance with packet	US-PGPUB; USPAT	OR	ON	2007/05/31 14:25
S11	15724	(@ad< "20030416" or @riad< "20030416") and (echo or ping) with time\$2	US-PGPUB; USPAT	OR	ON	2007/05/31 14:26
S12	122	(@ad< "20030416" or @riad< "20030416") and (echo or ping) with time\$2 with latency	US-PGPUB; USPAT	OR	ON	2007/05/31 14:26

S13	27	(@ad< "20030416" or @rlad< "20030416") and (echo or ping) with time\$2 with latency and (no with response)	US-PGPUB; USPAT	OR	ON	2007/05/31 14:26
S14	3	(@ad< "20030416" or @rlad< "20030416") and (echo or ping) with time\$2 with latency same (no with response)	US-PGPUB; USPAT	OR	ON	2007/05/31 14:27
S15	0	(@ad< "20030416" or @rlad< "20030416") and (echo or ping) with latency with (no adj response)	US-PGPUB; USPAT	OR	ON	2007/05/31 14:28
S16	0	(@ad< "20030416" or @rlad< "20030416") and (echo or ping) with latency with (no near2 response)	US-PGPUB; USPAT	OR	ON	2007/05/31 14:28
S17	37495	(@ad< "20030416" or @rlad< "20030416") and (echo or ping) with l(no near2 response)	US-PGPUB; USPAT	OR	ON	2007/05/31 14:28
S18	168	(@ad< "20030416" or @rlad< "20030416") and (echo or ping) with (no near2 response)	US-PGPUB; USPAT	OR	ON	2007/05/31 14:28
S19	0	(@ad< "20030416" or @rlad< "20030416") and (echo or ping) with (no near2 response) same latency	US-PGPUB; USPAT	OR	ON	2007/05/31 14:28
S20	0	(@ad< "20030416" or @rlad< "20030416") and (echo or ping) with (no near2 response) with timer	US-PGPUB; USPAT	OR	ON	2007/05/31 14:28
S21	23	(@ad< "20030416" or @rlad< "20030416") and (echo or ping) with (no near2 response) with time\$2	US-PGPUB; USPAT	OR	ON	2007/05/31 14:28
S22	3	(@ad< "20030416" or @rlad< "20030416") and ((monitor\$3 or measur\$3) with jitter with different with length)	US-PGPUB; USPAT	OR	ON	2007/10/29 14:22
S23	14	(@ad< "20030416" or @rlad< "20030416") and ((monitor\$3 or measur\$3) with jitter with packet with length)	US-PGPUB; USPAT	OR	ON	2007/10/29 14:20

S24	4	(@ad< "20030416" or @rlad< "20030416") and ((monitor\$3 or measur\$3) with jitter with packet near2 length)	US-PGPUB; USPAT	OR	ON	2007/10/29 14:24
S25	2	(@ad< "20030416" or @rlad< "20030416") and ((monitor\$3 or measur\$3) with latency with different with length)	US-PGPUB; USPAT	OR	ON	2007/10/29 14:22
S26	3	(@ad< "20030416" or @rlad< "20030416") and ((monitor\$3 or measur\$3) with latency with packet near2 length)	US-PGPUB; USPAT	OR	ON	2007/10/29 14:23
S27	3	(@ad< "20030416" or @rlad< "20030416") and ((monitor\$3 or measur\$3) with latency with packet near2 length)	US-PGPUB; USPAT	OR	ON	2007/10/29 14:24
S28	6	(@ad< "20030416" or @rlad< "20030416") and (test near2 packet with different with length)	US-PGPUB; USPAT	OR	ON	2007/10/29 14:24
S29	1879	(@ad< "20030416" or @rlad< "20030416") and ((select\$3 or choos\$3) near3 path with (latency or delay))	US-PGPUB; USPAT	OR	ON	2008/03/31 08:39
S30	138	(@ad< "20030416" or @rlad< "20030416") and ((select\$3 or choos\$3) near3 path with (latency or delay)) and ((latency or delay) with ping or echo)	US-PGPUB; USPAT	OR	ON	2008/03/31 08:39
S31	10	(@ad< "20030416" or @rlad< "20030416") and ((select\$3 or choos\$3) near3 path with (latency or delay)) and ((latency or delay) with ping or echo) and ((latency or delay) with threshold)	US-PGPUB; USPAT	OR	ON	2008/03/31 08:40

10/15/08 9:18:34 AM

C:\Documents and Settings\jmattis\My Documents\EAST\Workspaces\10681259.wsp